


H307-2M

Bollard

Pilona Sol



Embedment anchoe | Removable anchor | Embedded base

ISO 9001 | ISO 50001 | ISO 14001 | ISO 45001

Sol designer bollard, made of steel with Ferrus treatment, a protective process for iron that guarantees optimal corrosion resistance. The Ferrus treatment consists of three layers applied after cleaning all dirt and impurities by shot-peening. It consists of zinc plating, followed by an epoxy primer and a final coating of RAL 7016 gray polyester powder paint. Installation: Recessed base and corrugated rod.

Steel with FERRUS treatment: an iron protection process that ensures optimal corrosion resistance. The Ferrus treatment consists of three layers applied after cleaning all dirt and impurities using shot blasting, and it involves an electrolytic bath followed by an epoxy primer and a final coating of polyester powder paint.



Ref.	ØA	B	H	H1	
H307-2	76	-	1200	200	
H307-2M/1	76	-	1216	180	

Sol
H307-2



V. 2025-09-26 | The constant improvement and evolution of our products may result in some modifications of the technical specifications and characteristics of the products without prior notice.

+49 (0) 521 450 131-2 | mb@bas-mobiliar.de

V. 2025-09-26 | The constant improvement and evolution of our products may result in some modifications of the technical specifications and characteristics of the products without prior notice.